



#1
Brand of Siding in
North America*

Hardie® Panel & Hardie® Trim Batten
2026 Color of the Year, Iron Gray

The best homes leave a
lasting impression.

NORTH ROCKIES & DENVER COLOR & PRODUCT AVAILABILITY

Build with the best to help protect the beauty of your home.


Warm woodgrain texture without the cost and high maintenance of real wood.

TRUSTED PERFORMANCE WITH HARDIE® FIBER CEMENT

	HARDIE® SIDING	VINYL SIDING	WOOD-BASED SIDING
Will not burn; noncombustible**	✓	⊗	⊗
Will not melt	✓	⊗	✓
Holds little appeal to pests	✓	✓	⊗
Hail and impact resistant	✓	⊗	✓
Resistant to warping, shrinking, and swelling	✓	⊗	⊗
Easily painted	✓	⊗	✓
Real wood look and feel	✓	⊗	✓

Up to 5x thicker than vinyl siding, providing authentic shadow lines and less visible seams.

ColorPlus® Technology finishes are baked on at the factory for a long-lasting consistent finish.



All Hardie® fiber cement products come with a transferable 30-year, non-prorated limited substrate warranty, meaning we stand 100% behind Hardie® fiber cement siding, trim and soffit products for 30 years.

ColorPlus® Technology finishes come with a 15-year limited warranty.

30-YEAR, NON-PRORATED SIDING, TRIM AND SOFFIT SUBSTRATE WARRANTY COVERAGE BY JAMES HARDIE



Scan to learn more about the lifetime value of Hardie® products.

Complete Exterior™ by James Hardie

ONE MATERIAL

Only Hardie® fiber cement products are **Engineered for Climate®**, resisting damage from fire, water, and insects and delivering optimal performance for your home's specific region.

ONE SOURCE

Hardie® is the #1 brand of siding in North America, and our products are proudly made in the USA at one of our 11 manufacturing sites—meaning you can count on your product when you need it.

ONE WARRANTY

Rest easy knowing that all your siding, trim and soffit is backed with a 30-year non-prorated warranty from a single trusted manufacturer. One manufacturer to contact makes your life easier, giving you more time to enjoy your home.

(from cover) * Based on Freedonia Group, Global Siding (Cladding) Report (2025).

** Hardie® fiber cement products are noncombustible and/or have a Class A fire rating when tested in accordance with ASTM E84. Fiber cement fire resistance does not extend to applied paints or coatings, which may be damaged or char when exposed to flames. The use of noncombustible siding, combined with other fire mitigation measures, may help harden a home against external fire.



Unmatched performance & protection.



Fire

Hardie® siding is made of noncombustible fiber cement that won't burn or ignite when exposed to a direct flame.

Listed for use in wildfire-prone Wilderness Urban interface (WUI) zones in the western US.

- Verified noncombustible per ASTM E136
- Will not contribute fuel to a fire
- Class A fire rated per ASTM E84, with a flame spread index / smoke developed index of less than 0/5
- Verified in wall assemblies with 1-hour and 2-hour fire-ratings per ASTM E119



Water

Hardie® products are specifically engineered to resist damage from moisture and rot, and will hold their own, come rain, sleet, or snow.

- FEMA Class 5 flood damage resistance (highest rating)
- Rated for use in High Velocity Hurricane zones by Miami-Dade County, Florida*

*Applies to most products by James Hardie.
For full list go to: www.jameshardie.com/miami-dade-NOA



Pests

Creatures can wreak havoc on wood-based siding. It can be pecked by birds or be damaged by woodpeckers, termites and other pests. Hardie® fiber cement holds little appeal for these critters, saving you the maintenance hassle.



Watch our
durability videos.



Hardie® Plank

From Victorians to Colonials, Hardie® Plank is the perfect siding for your style, and has the durability and long lasting beauty that can transform your home's exterior. With a variety of colors, textures, and sizes, you'll discover a Hardie® Plank style that transforms your home's aesthetic.



Hardie® Plank
Select Cedarmill®



Hardie® Plank
Smooth

Hardie® Shingle

Restore the look of your grand Cape Cod home or add distinction to your handsome bungalow. Hardie® Shingle embodies the enchanting look of cedar shingles with low maintenance. You can create your perfect exterior style using Hardie® Shingle around your entire home, or place it in accent areas for an added boost of charm you'll love.

Better than the real thing, Hardie® Shingle resists rotting, curling, warping and splitting.



Hardie® Shingle
Straight Edge Panel



Hardie® Shingle
Staggered Edge Panel



Hardie® Shingle
Staggered Edge
Arctic White

Hardie® Panel

Hardie® Panel delivers style and substance. When combined with Hardie® Trim Batten, it achieves the rustic board-and-batten look that defines your charming cottage or modern farmhouse. Its crisp, clean lines and ability to pair beautifully with other siding products make Hardie® Panel a smart choice for the home of your dreams.



Hardie® Panel
Select Cedarmill®



Hardie® Panel
Smooth



Hardie® Panel & Hardie® Trim Batten
Evening Blue



Hardie® Panel
Sierra 8



Hardie® Panel & Hardie® Trim Batten
Cobble Stone

Hardie® Trim Batten



Hardie® Trim Batten
Smooth



Hardie® Trim Batten
Rustic Grain

Statement Collection®

HARDIE® PLANK, HARDIE® PANEL, HARDIE® SHINGLE & HARDIE® TRIM BATTEN



ARCTIC WHITE



COBBLE STONE



NAVAJO BEIGE



KHAKI BROWN




MONTEREY TAUPE



PEARL GRAY




TIMBER BARK



RICH ESPRESSO




MOUNTAIN SAGE




GRAY SLATE




LIGHT MIST



BOOTHBAY BLUE




NIGHT GRAY



EVENING BLUE



AGED PEWTER



IRON GRAY




COUNTRYLANE RED



Order samples at
jameshardie.com/samples

HARDIE® TRIM



ARCTIC WHITE



COBBLE STONE




IRON GRAY



TIMBER BARK

HARDIE® SOFFIT



ARCTIC WHITE

Colors shown are as accurate as printing methods will permit.

NORTH ROCKIES & DENVER EXTERIOR PRODUCT AVAILABILITY

	Primed	Statement Collection®	Dream Collection®	Exposure	Primed Pcs/Pallet	ColorPlus® Pcs/Pallet	Pcs/Sq.
--	--------	-----------------------	-------------------	----------	-------------------	-----------------------	---------

Hardie® Plank Thickness 5/16 in.

12 ft. x 5.25 in.	●●		●●	4 in.	360	-	25.0
12 ft. x 6.25 in.	●●		●●	5 in.	308	-	20.0
12 ft. x 7.25 in.	●●		●●	6 in.	252	-	16.7
12 ft. x 8.25 in.	●●	●	●●	7 in.	230	210	14.3
12 ft. x 9.25 in.	●●			8 in.	190	-	12.5
12 ft. x 12 in.	●●			10.75 in.	152	-	9.3

Hardie® Shingle - Straight Edge Panel Thickness 1/4 in.

48 in. x 15.25 in.	●	●	●	7 in.	86	86	43
--------------------	---	---	---	-------	----	----	----

Hardie® Shingle - Staggered Edge Panel Thickness 1/4 in.

48 in. x 15.25 in.	●	●	●	6 in.	100	100	50
--------------------	---	---	---	-------	-----	-----	----

Hardie® Panel Thickness 5/16 in.

4 ft. x 8 ft.	●●		●●	-	50	-	3.1
4 ft. x 9 ft.	●●			-	50	-	2.8
4 ft. x 10 ft.	●●	●	●●	-	50	50	2.5

Hardie® Panel - Sierra 8 Thickness 5/16 in.

4 ft. x 8 ft.	●			-	50	-	3.1
4 ft. x 9 ft.	●			-	50	-	2.8
4 ft. x 10 ft.	●			-	50	-	2.5

	Primed	Statement Collection®	Dream Collection®	Primed Pcs/Pallet	ColorPlus® Pcs/Pallet	Pcs/Sq.
--	--------	-----------------------	-------------------	-------------------	-----------------------	---------

4/4 Hardie® Trim Thickness 3/4 in.

12 ft. x 3.5 in.	●●			322	-	28.6
12 ft. x 5.5 in.	●●			184	-	18.2
12 ft. x 7.25 in.	●●	●		138	138	13.8
12 ft. x 9.25 in.	●●			115	-	10.8
12 ft. x 11.25 in.	●●			92	-	8.9

5/4 Hardie® Trim Thickness 1 in.

12 ft. x 3.5 in.	●●	●	●●	238	238	28.6
12 ft. x 5.5 in.	●●	●	●●	136	160	18.2
12 ft. x 7.25 in.	●●	●	●●	102	120	13.8
12 ft. x 9.25 in.	●●		●●	85	-	10.8
12 ft. x 11.25 in.	●●	●	●●	68	80	8.9

Hardie® Trim Batten Thickness 3/4 in.

12 ft. x 2.5 in.	●●	●	●●	437	190	40
------------------	----	---	----	-----	-----	----

Hardie® Soffit - Vented Thickness 1/4 in.

12 ft. x 12 in.	●●		●●	200	-	8.3
12 ft. x 16 in.	●●		●●	150	-	6.3
8 ft. x 24 in.	●●	●	●●	100	108	6.3

Hardie® Soffit - Non-Vented Thickness 1/4 in.

12 ft. x 12 in.	●●		●●	200	-	8.3
12 ft. x 16 in.	●●		●●	150	-	6.3
8 ft. x 24 in.	●●	●	●●	100	108	6.3
8 ft. x 48 in.	●●			50	-	3.1

Product Texture Key Smooth ● Textured ●

