




Unified^{STEEL}

STONE COATED ROOFING

Westlake
Royal Building Products™

ROOFING
SOLUTIONS

BEAUTIFUL STRONG LONG-LASTING



Unified Steel® Stone Coated Roofing offers five distinct profiles that will enhance the curb appeal and value of any home while **providing durability, performance and protection that will last.**



50-Year Limited Warranty*



Fire Resistant* Materials



Hail Stone Penetration Warranty*



Lightweight 1.5-lbs/sq-ft.



120 mph Wind Warranty*



Energy-Efficient Above-Sheathing Ventilation*



Unified Steel roofing systems exceed FORTIFIED™ Roof standards for hail impact by achieving UL 2218 Class 4 impact resistance and meeting the Very Severe Hail (VSH) standard—the highest level of protection recognized by IBHS. It is the only residential roofing product to meet this rigorous VSH standard, providing unmatched durability against extreme hail events.

*For product warranty details, please visit [Unified Steel Product Warranty](#) on our website. The warranty found there is the sole warranty applicable to Unified Steel roofing products.

Cover: PINE-CREST Shake



safe

Hail Impact Tested Roofing

All Unified Steel panels provide Class 4 Hail Impact Resistant¹ rated performance—the best rating available for roofing products. Warranted for hail up to 2-1/2 inches in diameter and winds up to 120 mph, Unified Steel roof systems protects your home while adding peace of mind.²

Unified Steel panels are also listed with QAI Laboratories, a reputable third-party evaluator of building products qualified for impact rating of roofing systems, as shown in [QAI Evaluation Report CERus-1008](#), available under Unified Steel Resources.

¹ Refer to the Unified Steel [Technical Bulletin - Very Severe Hail \(VSH\)](#) under Resources.

or product warranty details, please visit [Unified Steel Product Warranty](#) on our website. The warranty found there is the sole warranty applicable to Unified Steel roofing products.



50 YEAR LIMITED WARRANTY



120 MPH WIND WARRANTY



**HAIL STONE PENETRATION
WARRANTY CLASS-4
IMPACT RATED***



LIGHTWEIGHT 1.5-LBS/SQ-FT.



FIRE RESISTANT MATERIALS



**ENERGY-EFFICIENT
ABOVE-SHEATHING
VENTILATION**

Beautifully Efficient

Whatever the style, color or finish of your current roof, a Unified Steel® stone coated roof can further enhance the appearance of your home. Whether you want the look of shingle, clay tile, cedar shake or slate, you can select a Unified Steel roof that will highlight the beauty and increase the efficiency of your home. Several Cool Roof Rated* products offered by Unified Steel help improve the energy efficiency by reflecting sunlight and heat away from your roof. Unified Steel roof will look beautiful for decades to come and requires little to no maintenance to provide a lasting improvement to your home's curb appeal.



*Cool Roof Rating Council (CRRC) measures the "coolness" of a roof by determining a roof's solar reflectance (SR) and thermal emittance (TE). Both properties are rated on a scale from 0 to 1, where 1 is the most reflective or emissive. The CRRC measures these two properties for roofing products, both for the product's initial values and after three years of weather exposure. CRRC rated products help reduce the heat island effect found in urban areas and in general, increases the overall energy efficiency of the building. For more information, please visit our website Cool Roof resources page: WestlakeRoyalBuildingProducts.com/cool-roofing

For product warranty details, please visit [Unified Steel Product Warranty](#) on our website. The warranty found there is the sole warranty applicable to Unified Steel roofing products.



Asphalt Shingle

147°

attic temperature*

Why Steel?





Direct-to-Deck
Stone-Coated
Roofing System

89°


Attic Temperature*

Energy-Efficient

Attic temperatures measured using identical heat sources simulating the sun's radiation comparing Unified Steel® Stone Coated Roof System with Above Sheathing Ventilation (ASV) to a common asphalt shingle installation. The result is less heat in the attic and lower energy bills.

* Attic Heat Transfer test available in [Technical Bulletin - Cool Roofs](#) at [WeatlakeRoyalBuildingProducts/Roofing](#)
> Unified Steel > Resources > Technical





PINE-CREST

Engineered to replicate hand-split
wood shake with the durability of steel.

Shake




Charcoal





AVAILABLE COLORS



CRRC #: 0942-0227 / Ref: 0.22 / Emi: 0.92 / SRI: 23 / Aged SRI: 22*



CRRC #: 0942-0226 / Ref: 0.20 / Emi: 0.92 / SRI: 20 / Aged SRI: 20*



Cool Rated Color



Compliant with California
Title 24, Part 6 Building
Energy Efficiency Standards.

*Estimated Aged SRI.

The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.

COTTAGE

Enhanced High-Definition two color blend that creates a clean, classic mid profile shingle look.

Shingle

Barclay-HD







GRANITE-RIDGE

A low-profile high wind resistant
shingle that adds long-life and beauty.

shingles

Ironwood



An aerial photograph of a house featuring a barrel-vault roof with reddish-brown Spanish tiles. A prominent circular turret with a matching tiled roof and a white-framed arched window is visible. The house is surrounded by lush green trees and shrubs.

BARREL-VAULT

The traditional look of High-Barrel Spanish tile
that enhances your home's curb appeal.

©
|
|
|
|



Sunset Gold



AVAILABLE COLORS



SUNSET GOLD

CRRC #: 0942-0228 / Ref: 0.22 / Emi: 0.93 / SRI: 23 / Aged SRI: 22*



DOVER

CRRC #: 0942-0218 / Ref: 0.40 / Emi: 0.87 / SRI: 45 / Aged SRI: 42



SANTA FE



TIMBERWOOD



SPANISH RED



BARCLAY



BARCELONA



CHARCOAL



Cool Rated Color



Compliant with California
Title 24, Part 6 Building
Energy Efficiency Standards.

*Estimated Aged SRI.

The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.



PACIFIC | e |

Mediterranean Villa, medium profile tile
that emulates the traditional style of southern Europe.



Timberwood



AVAILABLE COLORS



HARBORWOOD

CRRRC #: 0942-0227 / Ref: 0.22 / Emi: 0.92 / SRI: 23 / Aged SRI: 22*



STIRLING GRAY

CRRRC #: 0942-0226 / Ref: 0.20 / Emi: 0.92 / SRI: 20 / Aged SRI: 20*



SPANISH RED



TIMBERWOOD



BARCLAY



CHARCOAL



Cool Rated Color



Compliant w
Title 24, Part
Energy Efficiency Standards.

California
Building
Standards.

*Estimated Aged SRI.

The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.